

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. Western/1-2451342679/2015/EOA

Date: 07-Apr-2015

To, The Secretary, Tech. & Higher Education Deptt. Govt. of Maharashta, Mantralaya, Annexe Building, Mumbai-400032

Sub: Extension of approval for the academic year 2015-16

Ref: Application of the Institution for Extension of approval for the academic year 2015-16

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	Western	Application Id	1-2451342679
		Permanent Id	1-3847411
Name of the Institute	DR. DY PATIL GROUP OF INSTITUTIONS (TECHNICAL CAMPUS)	Institute Address	DR. D. Y. PATIL KNOWELDGE CITY, S. NO. 136, CHARHOLI (BK), VIA LOHEGAON, TAL HAVELI, PUNE, PUNE, Maharashtra, 412105
Name of the Society/Trust	DR. D. Y. PATIL EDUCATIONAL ENTERPRISES CHARITABLE TRUST	Society/Trust Address	DR. D. Y. PATIL KNOWLEDGE CITY,S.N. 136,CHARHOLI(BK) VIA LOHEGAON,PUNE,PUNE,PUNE,Maharashtra,41210 5
Institute Type	Unaided - Private		

Opted for change from Women to Co-ed	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

To conduct following courses with the intake indicated below for the academic year 2015-16

Note: This is a Computer generated Letter of Approval.No signature is required.

Letter Printed On:7 May 2015



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application Id: 1-2451342679		Course		Affiliating Body	ى ك	ed for	status	status	boration JS	
Program	Shift	Level	-	Full/Part Time		Intake 2014-15	Intake Approved for 15-16	NRI Approval status	PIO Approval status	Foreign Collaboration Approval status
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	COMPUTER ENGINEERING	FULL TIME	University of Pune, Pune	24	24	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	ELECTRONICS AND TELECOMMUNICA TIONS ENGINEERING	FULL TIME	University of Pune, Pune	24	24	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUA TE	MECHANICAL ENGINEERING	FULL TIME	University of Pune, Pune	24	24	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	CIVIL ENGINEERING	FULL TIME	University of Pune, Pune	60	60	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	COMPUTER ENGINEERING	FULL TIME	University of Pune, Pune	120	120	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	ELECTRONICS AND TELECOMMUNICA TIONS ENGINEERING	FULL TIME	University of Pune, Pune	120	120	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUA TE	MECHANICAL ENGINEERING	FULL TIME	University of Pune, Pune	180	180	NA	NA	NA
ENGINEERING AND TECHNOLOGY	2nd Shift	DIPLOMA	COMPUTER ENGINEERING	FULL TIME	Maharashtra State Board of Technical Education, Mumbai	60	60	NA	NA	NA

Application Number: 1-2451342679*

Note: This is a Computer generated Letter of Approval.No signature is required.



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application Id: 1-2451342679		Course	ē	Affiliating Body	15	wed for	al status	al status	Collaboration I status	
Program	Shift	Level		Full/Part Time		Intake 2014-	Intake Approved 15-16	NRI Approval	PIO Approval	Foreign Coll Approval sta
ENGINEERING AND TECHNOLOGY	2nd Shift	DIPLOMA	MECHANICAL ENGINEERING	FULL TIME	Maharashtra State Board of Technical Education, Mumbai	120	120	NA	NA	NA

Note: Validity of the course details may be verified at www.aicte-india.org>departments>approvals

The above mentioned approval is subject to the condition that DR. DY PATIL GROUP OF INSTITUTIONS (TECHNICAL CAMPUS) shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Dr. Avinash S Pant Actg Chairman, AICTE

Copy to:

- The Regional Officer, All India Council for Technical Education Industrial Assurance Building 2nd Floor, Nariman Road Mumbai - 400 020, Maharashtra
- 2. The Director Of Technical Education,

Note: This is a Computer generated Letter of Approval.No signature is required.

Page 3 of 4



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Maharashtra

- **3.** The Registrar, University of Pune, Pune
- 4. The Principal / Director, DR. DY PATIL GROUP OF INSTITUTIONS (TECHNICAL CAMPUS) DR. D. Y. PATIL KNOWELDGE CITY, S. NO. 136, CHARHOLI (BK), VIA LOHEGAON, TAL.- HAVELI, PUNE,PUNE, Maharashtra,412105
- The Secretary / Chairman, DR. D. Y. PATIL EDUCATIONAL ENTERPRISES CHARITABLE TRUST DR. D. Y. PATIL KNOWLEDGE CITY,S.N. 136,CHARHOLI(BK) VIA LOHEGAON,PUNE, PUNE,PUNE, Maharashtra,412105
- 6. Guard File(AICTE)

Application Number: 1-2451342679*

Note: This is a Computer generated Letter of Approval.No signature is required.